




**MEATON**



**DRAWER BOX**



· SYNCHRONIZED LINKAGE



Drawer system leads to silent movement, satisfying comfort, and diverse applications. The outstanding performance of MEATON drawer system makes your living space a place where indicates your understanding of lifestyle, of character, of satisfaction. Affordable and the state of the art products make everyone feel a comfortable and sound life around them.




# MEATONIST SLIM BOX

## SOFT-CLOSE

SB0100-A01/B01/C01/D01

Meatonist Slim Box - 3 fold synchronized concealed slide with handle

B.2



SB0100-A03/B03/C03/D03

Meatonist Slim Inner Box - 3 fold synchronized concealed slide with handle


B.4



SB0200-A01/B01/C01/D01

Meatonist Slim Box - 3 fold concealed slide with handle


B.6



SB0201-A01/B01/C01/D01

Meatonist Slim Box with tilt adjustment - 3 fold concealed slide

B.8



SB0200-A03/B03/C03/D03

Meatonist Slim Inner Box - 3 fold concealed slide with handle


B.10



SB0300-A01/B01/C01/D01

Meatonist Slim Box - 2 fold concealed slide with handle

B.12



SB0300-A03/B03/C03/D03

Meatonist Slim Inner Box - 2 fold concealed slide with handle


B.14



SB0303

Meatonist Slim Box - 2 fold concealed slide


B.16



SB2900-A01/B01/C01/D01

Meatonist Slim Box with tandem slide

B.18





---

SB2900-A03/B03/C03/D03

Meatonist Slim Inner Box with tandem slide

**B.20**




---

SB2901

Meatonist Slim Box with tilt adjustment with tandem slide

**B.22**




---

SB0101-A01/B01/C01/D01

Meatonist Slim Box with tilt adjustment - 3 fold synchronized concealed slide

**B.24**




---

SB0101-A03/B03/C03/D03

Meatonist Slim Inner Box with tilt adjustment - 3 fold synchronized concealed slide

**B.26**



---

SB3300

Concise Box - ultra slim single wall - 2 fold concealed slide with handle

**B.28**




---

SB3303

Concise Box - ultra slim single wall - 2 fold concealed slide

**B.30**



---

SB3304

Concise Box - ultra slim single wall - 2 fold concealed slide with handle

**B.32**



---

SB3100

Concise Box - ultra slim single wall - 3 fold synchronized concealed slide with handle

**B.34**



---

SB3200

Concise Box - ultra slim single wall - 3 fold concealed slide with handle

**B.36**




# MEATONIST SLIM BOX

## SOFT-CLOSE

SB3900

Concise Box - ultra slim single wall with tandem slide

B.38



SB5100

Artistic Box- two slides glass wall - 3 fold synchronized concealed slide with handle

B.40



SB5200

Artistic Box- two slides glass wall - 3 fold concealed slide with handle


B.42



SB5900

Artistic Box- two slides glass wall - with tandem slide

B.44




## SLIM DRAWER SYSTEM

### SOFT-CLOSE & PUSH-OPEN

SP1930

Slim Box with tandem slide

B.46



## SLIM DRAWER SYSTEM

### PUSH-OPEN

SP1900/ SP1904

Slim Box with tandem slide

B.48



# PUSH OPEN DRAWER SYSTEM

## SP1801

Classical drawer system with tandem slide


B.50



## SP0101

Meatonist Slim Box with tilt adjustment - 3 fold synchronized concealed slide


B.52



## SP2900

Meatonist Slim Box with tandem slide


B.54



## SP0100

Meatonist Slim Box - 3 fold synchronized concealed slide with handle


B.56



## SP0200

Meatonist Slim Box - 3 fold concealed slide with handle

B.58



## SP3303

Meatonist Slim Box - 3 fold concealed slide


B.60



## SP2910/ SP2920

Meatonist Slim Box with synchronized linkage

B.62



## SP1811/ SP1821

Classical Drawer System with synchronized linkage

B.64



## SP1910/ SP1920/ SP1914/ SP1924

Slim Box with synchronized linkage

B.66





# SLIM DRAWER SYSTEM


## Slim Box

- SS1900-B



## Tandem slide

- SS1801-S





Height: A - 86mm  
B - 118mm  
C - 167mm  
D - 199mm

4 regular colors:

Dark black(B), Silver grey(G),  
Light grey(O), Silver white(W)

Slim box  
A+B+C+E

**Page B.68**  
Height 86mm

• SB1900 - A01

**Page B.74**  
Height 118mm

• SB1900 - B01

**Page B.80**  
Height 167mm

• SB1900 - C01

**Page B.94**  
Height 199mm

• SB1900 - D01



Slim box  
A+B+C+E+M

**Page B.82**  
with extended side square railings, height 167mm

• SB1900 - C02

**Page B.98**  
with extended side square railings, height 199mm

• SB1900 - D02




Slim Inner box  
A+B+C+D+F+K

**Page B.70**  
Height 86mm

• SB1900 - A02

**Page B.76**  
Height 118mm

• SB1900 - B02



Slim Inner box  
A+B+C+D+F+G+K

**Page B.72**  
with extended front glass, height 86mm

• SB1900 - A03

**Page B.78**  
with extended front glass, height 118mm


• SB1900 - B03

**Page B.84**  
with extended front low glass, height 167mm

• SB1900 - C03

**Page B.100**  
with extended front low glass, height 199mm

• SB1900 - D03



Slim Inner box  
A+B+C+D+F+H+K

**Page B.86**  
with extended front tall glass, height 167mm

• SB1900 - C04

**Page B.102**  
with extended front tall glass, height 199mm

• SB1900 - D04



Slim Inner box  
A+B+C+D+F+K+L+M

**Page B.88**  
with side square railings and front panel square railing, height 167mm

• SB1900 - C05

**Page B.106**  
with side square railings and front panel square railing, height 199mm

• SB1900 - D06



Slim Inner box  
A+B+C+D+F+G+K+M

**Page B.90**  
with side square railings and extended front low glass, height 167mm

• SB1900 - C06

**Page B.108**  
with side square railings and extended front low glass, height 199mm

• SB1900 - D07



Slim Inner box  
A+B+C+D+F+H+K+M

**Page B.92**  
with side square railings and extended front tall glass, height 167mm

• SB1900 - C07

**Page B.110**  
with side square railings and extended front tall glass, height 199mm

• SB1900 - D08



Slim Inner box  
A+B+C+D+F+K+L

**Page B.94**  
with front panel and square railing, height 167mm

• SB1900 - C08

**Page B.104**  
with front panel and square railing, height 199mm

• SB1900 - D05



# CLASSICAL DRAWER SYSTEM



## Classical box

- **SS1801-B**



## Tandem slide

- **SS1801-S**







Height: A - 84mm  
B - 135mm  
C - 167mm  
D - 199mm

4 regular colors:

Silver white(W), Light grey(O),  
Silver grey(G), Dark black(B)

Classical box  
A+B+C+E

Page B.112 • SB1801 - A01  
Height 84mm




Classical box  
A+B+C+E+M

Page B.116 • SB1801 - B01  
with side square railings, height 135mm  
Page B.122 • SB1801 - C01  
with side square railings, height 167mm  
Page B.136 • SB1801 - D01  
with side square railings, height 199mm  
Page B.140 • SB1801 - D03  
with side square railings(x2), height 199mm




Classical box  
A+B+C+E+N

Page B.118 • SB1801 - B02  
with side round railings, height 135mm  
Page B.124 • SB1801 - C02  
with side round railings, height 167mm  
Page B.138 • SB1801 - D02  
with side round railings, height 199mm  
Page B.142 • SB1801 - D04  
with side round railings(x2), height 199mm




Classical box  
A+B+C+E+N+I/J+O/P

Page B.126 • SB1801 - C03  
with extended side glass, height 167mm  
Page B.144 • SB1801 - D05  
with extended side glass, height 199mm



Classical Inner box  
A+B+C+D+F+K

Page B.114 • SB1801 - A02  
Height 84mm



Classical Inner box  
A+B+C+D+F+K+L+M

Page B.120 • SB1801 - B03  
with side square railings and front panel square railing, height 135mm  
Page B.132 • SB1801 - C07  
with side square railings and front panel square railing, height 167mm  
Page B.150 • SB1801 - D08  
with side square railings and front panel square railing, height 199mm  
Page B.152 • SB1801 - D09  
with side square railings and front panel square railing(x2), height 199mm



Classical Inner box  
A+B+C+D+F+K+L  
+I/J+O/P

Page B.128 • SB1801 - C05  
with extended side glass and front panel with square railing, height 167mm  
Page B.146 • SB1801 - D06  
with extended side glass and front panel with square railing, height 199mm



Classical Inner box  
A+B+C+D+F+K+G  
+I/J+O/P

Page B.130 • SB1801 - C06  
with extended side glass and front panel, height 167mm  
Page B.148 • SB1801 - D07  
with extended side glass and front panel, height 199mm



Classical Inner box  
A+B+C+D+F+G+K+M

Page B.134 • SB1801 - C08  
with side square railings and front panel, height 167mm  
Page B.154 • SB1801 - D10  
with side square railings and front panel, height 199mm  
Page B.156 • SB1801 - D11  
with side square railings(x2) and front panel, height 199mm





# FITTINGS

MW0022-450B

Waste Bin

B.160



MW0022-600B

Waste Bin

B.161



SS1800-18

Round grid fittings

B.162



SS1800 - 28 / 44

U-shape sink Classical drawer system

B.162



SS1800 - 30/ 31/ 32

Plastic grid fittings

B.163



SS1620

Stainless steel 304 cutlery box

B.164



SS1042-A & SS1047-A & SS1542-A/B/C & SS1547-A/B/C

KITCHEN STORAGE SYSTEM


B.165



SS1142-A/B/C/D & SS1147-A/B/C/D

KITCHEN STORAGE SYSTEM


B.166



SS0101/ SS0201/ SS0301

Pull-out basket slide

B.167



# FITTINGS

SS1622-S

Granule mats/ Side square railings connector

B.168



SS1801-36

Side square/ round railings connector

B.168



SS2900-12

Side square railings with DIY connector

B.169



SS1900-TD1

Marking Tool for front bracket fixing positions

B.170



SS1900-TE1

Inner drawer auxiliary fitting

B.171



SS1900-TP1

Drawer system stablizer

B.172



SS1800-P21

Synchronized linkage

B.173



S22974

Reinforcement angle codes for the back and bottom plates


B.173



**MEATON**








**MEATON**

**Drawer System**

# MEATONIST SLIM BOX

**SB0100-A01/B01/C01/D01**

**Meatonist Slim Box - 3 fold synchronized concealed slide with handle**




## SOFT-CLOSE

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: DH3341

**Drawer slide L/R**

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




### B: SS2900-A/B/C/D

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

**Front connector**

Material - SECC + plastic



### SS1900-TA2/TB2/TC2

**Clip on front connector**

Material - SECC + plastic



### SS1900-TA5/TB5/TC5

**Clip on front connector**

Material - SECC




### SS1900-TA6/TB6/TC6

**Clip on front connector**


Material - SECC + plastic




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB0100-A03/B03/C03/D03**

**Meatonist Slim Inner Box - 3 fold synchronized concealed slide with handle**




## SOFT-CLOSE

- Inner drawer, height 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DH3341

##### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.





#### B: SS2900-A/B/C/D

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### D: S12902-A/B/C/D

##### Inner drawer front connector L/R

Material - SECC+ plastic

Color - Match for set color



#### F: S52931

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 14

Length: 600mm;800mm;900mm;1000mm;1200mm



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 49

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey







## Cabinet space requirements





## Internal front panel DIY cut



## Drawer slide installation dimensions



## Cutting dimensions for back panel



**A03**

**B03**

**C03**


**D03**



# MEATONIST SLIM BOX

SB0200-A01/B01/C01/D01

Meatonist Slim Box - 3 fold concealed slide with handle




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.

## Product Information

### Components view




### A: DY3341

#### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.





### B: SS2900-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

#### Clip on front connector

Material - SECC + plastic

TA6




TB6




TC6




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB0201-A01/B01/C01/D01**

**Meatonist Slim Box with tilt adjustment - 3 fold concealed slide**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: DY3322

#### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




### B: SS2901-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC



### SS1900-TA6/TB6/TC6


#### Clip on front connector

Material - SECC + plastic







## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB0200-A03/B03/C03/D03**

**Meatonist Slim Inner Box - 3 fold concealed slide with handle**




## Soft-close

- Inner drawer, height 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.

## Product Information

### Components view




#### A: DY3341

##### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.





#### B: SS2900-A/B/C/D

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### D: S12902-A/B/C/D

##### Inner drawer front connector L/R

Material - SECC+ plastic

Color - Match for set color



#### F: S52931

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 14

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### L: S52932

##### Front square railing

Material - aluminium


Color - Match for set color

Automatically cut - the cabinet body width LW - 49


Length: 600mm;800mm;900mm;1000mm;1200mm




## Cabinet space requirements





## Internal front panel DIY cut



## Drawer slide installation dimensions



## Cutting dimensions for back panel



A03

B03

C03


D03



# MEATONIST SLIM BOX

**SB0300-A01/B01/C01/D01**

**Meatonist Slim Box - 2 fold concealed slide with handle**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.

## Product Information

### Components view




### A: DY2341

#### Drawer slide L/R

Material - SECC

Loading capacity: 25kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




### B: SS2900-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC



### SS1900-TA6/TB6/TC6


#### Clip on front connector

Material - SECC + plastic







## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB0300-A03/B03/C03/D03**

**Meatonist Slim Inner Box - 2 fold concealed slide with handle**




**Soft-close**

- Inner drawer, height 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.

## Product Information

### Components view




#### A: DY2341

**Drawer slide L/R**

Material - SECC

Loading capacity: 25kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.





#### B: SS2900-A/B/C/D

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### D: S12902-A/B/C/D

**Inner drawer front connector L/R**

Material - SECC+ plastic

Color - Match for set color



#### F: S52931

**Inner drawer front panel**

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 14

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

**Front panel bracket to bottom panel**

Material - plastic

Color - Silver grey



#### L: S52932

**Front square railing**

Material - aluminium


Color - Match for set color

Automatically cut - the cabinet body width LW - 49


Length: 600mm;800mm;900mm;1000mm;1200mm




## Cabinet space requirements





## Internal front panel DIY cut



## Drawer slide installation dimensions



## Cutting dimensions for back panel



A03

B03

C03


D03



# MEATONIST SLIM BOX

**SB0303**

**Meatonist Slim Box - 2 fold concealed slide**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down +2mm.

## Product Information

### Components view




### A: DY2246

**Drawer slide L/R**

Material - SECC

Loading capacity: 25kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm.




### B: SS2903-A/B/C/D

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.



### E: SS1900-TA1/TB1/TC1

**Front connector**

Material - SECC + plastic



### SS1900-TA2/TB2/TC2

**Clip on front connector**

Material - SECC + plastic



### SS1900-TA5/TB5/TC5

**Clip on front connector**

Material - SECC



### SS1900-TA6/TB6/TC6


**Clip on front connector**

Material - SECC + plastic





## Cabinet space requirements




SB0303-A

SB0303-B


SB0303-C

SB0303-D



## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel



Nominal length


| NL | 270 | 300 | 350 | 400 | 450 | 500 |
|----|-----|-----|-----|-----|-----|-----|
| L  | 228 | 258 | 296 | 346 | 381 | 431 |



# MEATONIST SLIM BOX

**SB2900-A01/B01/C01/D01**

Meatonist Slim Box with tandem slide




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view



### A: SS2900-S

#### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.





### B: SS2900-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

#### Clip on front connector

Material - SECC + plastic

TA6



TB6




TC6




### B1: SS2960

#### Side wall Buckle assembly L/R


Material - plastic+iron




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB2900-A03/B03/C03/D03**

**Meatonist Slim Inner Box with tandem slide**




## Soft-close

- Inner drawer, height 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: SS2900-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS2900-A/B/C/D


##### Side wall L/R

Material - cold-rolled steel


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.

A




B



C




D



#### B1: SS2960

##### Side wall Buckle assembly L/R

Material - plastic+iron




#### D: S12902-A/B/C/D

##### Inner drawer front connector L/R

Material - SECC+ plastic

Color - Match for set color

A



B



C



D



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 49

Length: 600mm;800mm;900mm;1000mm;1200mm



#### F: S52931

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 14

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey







## Cabinet space requirements





## Internal front panel DIY cut



## Drawer slide installation dimensions



## Cutting dimensions for back panel



A03

B03

C03


D03



# MEATONIST SLIM BOX

**SB2901**

**Meatonist Slim Box with tilt adjustment with tandem slide**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: SS2900-S

#### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.





### B: SS2901-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

#### Clip on front connector

Material - SECC + plastic

TA6




TB6




TC6




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB0101-A01/B01/C01/D01**

**Meatonist Slim Box with tilt adjustment - 3 fold synchronized concealed slide**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: DH3322

#### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




### B: SS2901-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC



### SS1900-TA6/TB6/TC6


#### Clip on front connector

Material - SECC + plastic







## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB0101-A03/B03/C03/D03**

**Meatonist Slim Inner Box with tilt adjustment - 3 fold synchronized concealed slide**




## Soft-close

- Inner drawer, height 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DH3322

##### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.



#### B: SS2901-A/B/C/D


##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.

A



B



C



D



#### D: S12902-A/B/C/D

##### Inner drawer front connector L/R

Material - SECC+ plastic

Color - Match for set color

A



B



C



D



#### F: S52931


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 14

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 49

Length: 600mm;800mm;900mm;1000mm;1200mm






# MEATONIST SLIM BOX

**SB3300**

**Concise Box - ultra slim single wall - 2 fold concealed slide with handle**




## SOFT-CLOSE

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DY2341

##### Drawer slide L/R

Material - SECC

Loading capacity: 25kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




#### B: SS3900-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-D

##### Side wall L/R


Material - cold-rolled steel

Color - Match for set color


Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel






# MEATONIST SLIM BOX

**SB3303**

**Concise Box - ultra slim single wall - 2 fold concealed slide**




## SOFT-CLOSE

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down +2mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DY2246

##### Drawer slide L/R

Material - SECC

Loading capacity: 25kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm.




#### B: SS3903-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.




#### B: SS3903-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.




#### B: SS3903-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.




#### B: SS3903-D

##### Side wall L/R


Material - cold-rolled steel

Color - Match for set color


Length: 270mm;300mm;350mm;400mm;450mm;500mm.




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB3304**

**Concise Box - ultra slim single wall - 2 fold concealed slide with handle**




## SOFT-CLOSE

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DY2331

##### Drawer slide L/R

Material - SECC

Loading capacity: 25kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3904-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3904-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3904-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3904-D

##### Side wall L/R


Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



## Cabinet space requirements




SB3304-A

SB3304-B


SB3304-C

SB3304-D



## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB3100**

**Concise Box - ultra slim single wall - 3 fold synchronized concealed slide with handle**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DH3341

##### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




#### B: SS3900-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-D

##### Side wall L/R

Material - cold-rolled steel


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.








## Mounting



## Drawer slide installation dimensions



### Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB3200**

**Concise Box - ultra slim single wall - 3 fold concealed slide with handle**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DY3341

##### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




#### B: SS3900-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-D

##### Side wall L/R


Material - cold-rolled steel

Color - Match for set color


Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB3900**

**Concise Box - ultra slim single wall with tandem slide**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: SS2900-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS3900-D

##### Side wall L/R


Material - cold-rolled steel

Color - Match for set color


Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel





# MEATONIST SLIM BOX

**SB5100**

**Artistic Box- two slides glass wall - 3 fold concealed slide with handle**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: DH3341

#### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




### B: SS5900-A

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




### B: SS5900-B

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




### B: SS5900-C

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




### B: SS5900-D

#### Side wall L/R


Material - cold-rolled steel

Color - Match for set color


Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB5200**

**Artistic Box- two slides glass wall - 3 fold concealed slide with handle**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: DY3341

##### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




#### B: SS5900-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS5900-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS5900-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS5900-D

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color


Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# MEATONIST SLIM BOX

**SB5900**

**Artistic Box- two slides glass wall - with tandem slide**




## Soft-close

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view



#### A: SS2900-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS5900-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS5900-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS5900-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS5900-D

##### Side wall L/R

Material - cold-rolled steel


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.







## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# SOFT-CLOSE & PUSH-OPEN

## SP1930

Slim Box with tandem slide




### Soft-close & Push-open

- Heights, 86/118/167/199mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view



### A: SS1900-P30

#### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.

### A1: SS1900-P30-19L/R

#### Rebound component L/R

Material - SECC + plastic

### A2: S1P309(2) + S81833-1200

#### Synchronized linkage

Material - aluminium + plastic

Automatically cut - the cabinet body width LW-243

### B: SS1930-A/B/C/D


#### Side wall L/R

Material - cold-rolled steel


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.

A




B



C



D



### B1: SS1900-P31-L/R

#### Reset component L/R

Material - SECC + plastic

Length: 270mm(300mm);350mm;400mm;450mm;500mm;550mm.

### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

#### Clip on front connector

Material - SECC + plastic

TA6



TB6



TC6



### C: SS1900-L86/L118/L167/L199

#### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color

L86



L118




L167




L199




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# PUSH OPEN DRAWER SYSTEM

## SP1900/ SP1904

Slim Box with tandem slide




### Push-open

- Heights, 86mm/118mm/167mm/199mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: SS1801-P00

#### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### B: SS1900-A/B/C/D



### SS1904-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

#### Clip on front connector

Material - SECC + plastic

TA6



TB6



TC6



### C: SS1900-L86/L118/L167/L199

#### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color

L86



L118




L167




L199




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel






# PUSH OPEN DRAWER SYSTEM

**SP1801**

Classical Drawer System with tandem slide




## Push-open

- Heights, 84mm/135mm/167mm/199mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




#### A: SS1801-P00

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L86/L135/L167/L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color

L86



L135



L167



L199




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### E: SS1900-TA1

##### Front connector

Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector

Material - SECC + plastic



#### SS1900-TA5

##### Clip on front connector

Material - SECC




#### SS1900-TA6

##### Clip on front connector


Material - SECC + plastic




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# PUSH OPEN DRAWER SYSTEM

**SP0101**

**Meatonist Slim Box with tilt adjustment - 3 fold synchronized concealed slide**




## Push-open

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: DT3322

**Drawer slide L/R**

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.




### B: SS2901-A/B/C/D

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

**Front connector**

Material - SECC + plastic



### SS1900-TA2/TB2/TC2

**Clip on front connector**

Material - SECC + plastic



### SS1900-TA5/TB5/TC5

**Clip on front connector**

Material - SECC




### SS1900-TA6/TB6/TC6

**Clip on front connector**


Material - SECC + plastic




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# PUSH OPEN DRAWER SYSTEM

**SP2900**

**Meatonist Slim Box with tandem slide**




## Push-open

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: SS2900-P00

**Drawer slide L/R**

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.





### B: SS2900-A/B/C/D

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

**Front connector**

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

**Clip on front connector**

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

**Clip on front connector**

Material - SECC

TA5



TB5



TC5




### SS1900-TA6/TB6/TC6

**Clip on front connector**

### B1: SS2960


**Side wall Buckle assembly L/R**

Material - plastic+iron







## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# PUSH OPEN DRAWER SYSTEM

**SP0100**

**Meatonist Slim Box - 3 fold synchronized concealed slide with handle**




## PUSH-OPEN

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product Information

### Components view




### A: DT3341

**Drawer slide L/R**

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.





### B: SS2900-A/B/C/D

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

**Front connector**

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

**Clip on front connector**

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

**Clip on front connector**

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

**Clip on front connector**

Material - SECC + plastic

TA6




TB6




TC6




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# PUSH OPEN DRAWER SYSTEM

**SP0200**

**Meatonist Slim Box - 3 fold concealed slide with handle**




## Push-open

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.

## Product Information

### Components view




### A: DP3341

#### Drawer slide L/R

Material - SECC

Loading capacity: 30kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm;540mm.





### B: SS2900-A/B/C/D

#### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

#### Clip on front connector

Material - SECC + plastic

TA6




TB6




TC6




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions



## Cutting dimensions for back panel






# PUSH OPEN DRAWER SYSTEM

**SP3303**

**Concise Box - ultra slim single wall - 2 fold concealed slide**




## Push-open

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down +2mm.

## Product Information

### Components view




#### A: DP2246

##### Drawer slide L/R

Material - SECC

Loading capacity: 25kg

Length: 260mm;290mm;340mm;390mm;440mm;490mm.




#### B: SS3903-A

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.




#### B: SS3903-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.




#### B: SS3903-C

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.




#### B: SS3903-D

##### Side wall L/R


Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm.



## Cabinet space requirements




SP3303-A

SP3303-B


SP3303-C

SP3303-D



## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# PUSH OPEN DRAWER SYSTEM

**SP2910/ SP2920**

**Meatonist Slim Box with synchronized linkage**




## Push-open

- Heights, 63/101/148/180mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.
- Add a rebound fitting group for cabinets wider than 600mm.

## Product Information

### Components view




### A: SS2900-P10

**Drawer slide L/R**

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.





### B: SS2900-A/B/C/D

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### E: SS1900-TA1/TB1/TC1

**Front connector**

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

**Clip on front connector**

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

**Clip on front connector**

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

**Clip on front connector**

Material - SECC + plastic

TA6



TB6




TC6



### B1: SS2960

**Side wall Buckle assembly L/R**


Material - plastic+iron




### G: SS1800-P21

**Synchronized linkage**


Material - aluminium + plastic




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# PUSH OPEN DRAWER SYSTEM

**SP1811/ SP1821**

**Classical Drawer System with synchronized linkage**




## Push-open

- Heights, 84mm/135mm/167mm/199mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.
- Add a rebound fitting group for cabinets wider than 600mm.

## Product Information

### Components view




#### A: SS1801-P10

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L86/L135/L167/L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color

L86



L135



L167



L199




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### E: SS1900-TA1

##### Front connector

Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector

Material - SECC + plastic



#### SS1900-TA5

##### Clip on front connector

Material - SECC



#### SS1900-TA6

##### Clip on front connector


Material - SECC + plastic



#### G: SS1800-P21


##### Synchronized linkage

Material - aluminium + plastic







## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# SLIM DRAWER SYSTEM PUSH OPEN

**SP1910/ SP1920/ SP1914/ SP1924**

**Slim Box with synchronized linkage**




## Push-open

- Heights, 86mm/118mm/167mm/199mm.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.
- Add a rebound fitting group for cabinets wider than 600mm.

## Product Information

### Components view




### A: SS1801-P10

#### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



### B: SS1900-A/B/C/D


#### Side wall L/R

Material - cold-rolled steel


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.


A




B



C



D



### E: SS1900-TA1/TB1/TC1

#### Front connector

Material - SECC + plastic

TA1



TB1



TC1



### SS1900-TA2/TB2/TC2

#### Clip on front connector

Material - SECC + plastic

TA2



TB2



TC2



### SS1900-TA5/TB5/TC5

#### Clip on front connector

Material - SECC

TA5



TB5



TC5



### SS1900-TA6/TB6/TC6

#### Clip on front connector

Material - SECC + plastic

TA6



TB6



TC6



### C: SS1900-L86/L118/L167/L199

#### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color

L86



L118



L167




L199




### G: SS1800-P21

#### Synchronized linkage


Material - aluminium + plastic




## Cabinet space requirements





## Mounting



## Drawer slide installation dimensions




## Cutting dimensions for back panel



# SLIM DRAWER SYSTEM

**SB1900 - A01**

**Slim box, height 86mm**




## SOFT-CLOSE

- Basic height, 86mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

**Drawer slide L/R**

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

**Side wall L/R**

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1900-L86

**Back panel connector L/R**

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

**Front connector**


Material - SECC + plastic



#### SS1900-TA2

**Clip on front connector**


Material - SECC + plastic



#### SS1900-TA5

**Front connector**


Material - SECC



#### SS1900-TA6


**Clip on front connector**

Material - SECC




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# SLIM DRAWER SYSTEM

**SB1900 - A02/ SB1900 - A02H**

Inner box, height 86mm




## SOFT-CLOSE

- Inner drawer, height 86mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1900-L86

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F86

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1900-F86H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey




## Mounting

Cabinet space requirements




Back panel installation dimensions



## Internal front panel DIY cut


Planar

Handle




DIY cut: LW - 98mm


## Drawer slide installation dimensions




## Cutting dimensions for back panel



Back panel





Bottom plate  
Wood backplane  
NL-24mm



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required

Nominal Length




NL Nominal length

# SLIM DRAWER SYSTEM

## SB1900 - A03

Inner box with extended front glass, height 86mm




### SOFT-CLOSE

- Inner drawer, height 86mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1900-L86

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### D: SS1900-F86G

##### Inner drawer front connector (GLASS) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### G: SS1900-20-A


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm




#### SS1900-20-AS/ SS1900-20-AT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey




## Mounting

Cabinet space requirements




Back panel installation dimensions




## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm

## Drawer slide installation dimensions





## Cutting dimensions for back panel



## Space required

Nominal Length




NL Nominal length

# SLIM DRAWER SYSTEM

## SB1900 - B01

Slim box, height 118mm




### SOFT-CLOSE

- Basic height, 118mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B118

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L118

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### E: SS1900-TB1

##### Front connector


Material - SECC + plastic



#### SS1900-TB2

##### Clip on front connector

Material - SECC + plastic



#### SS1900-TB5

##### Front connector


Material - SECC



#### SS1900-TB6

##### Clip on front connector


Material - SECC






## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

**SB1900 - B02/ SB1900 - B02H**

Inner box, height 118mm




## SOFT-CLOSE

- Inner drawer, height 118mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B118

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L118

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### D: SS1900-F118

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic


Color - Match for set color

#### SS1900-F118H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1800-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm

#### SS1800-04H



##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37


##### Front panel bracket to bottom panel

Material - plastic


Color - Silver grey




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

## SB1900 - B03

Inner box with extended front glass, height 118mm




### SOFT-CLOSE

- Inner drawer, height 118mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B118

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L118

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F118G

##### Inner drawer front connector (GLASS) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### G: SS1900-20-B


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-20-BS/ SS1900-20-BT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm



#### K: SS1800-37


##### Front panel bracket to bottom panel

Material - plastic


Color - Silver grey




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# SLIM DRAWER SYSTEM

## SB1900 - C01

Slim box, height 167mm




### SOFT-CLOSE

- Basic height, 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B167

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1900-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### E: SS1900-TC1

##### Front connector

Material - SECC + plastic

#### SS1900-TC2

##### Clip on front connector

Material - SECC + plastic

#### SS1900-TC5

##### Front connector

Material - SECC

#### SS1900-TC6


##### Clip on front connector

Material - SECC




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

## SB1900 - C02

Slim box with extended side square railings, height 167mm




### SOFT-CLOSE

- Basic + rectangular side railings, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L167K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

## SB1900 - C03

Inner box with extended front low glass, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B167

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1900-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### D: SS1900-F167L

##### Inner drawer front connector (low glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### G: SS1900-20-C


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm




#### SS1900-20-CS/ SS1900-20-CT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic


Color - Silver grey






## Mounting

Cabinet space requirements




Back panel installation dimensions




## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm



## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

## SB1900 - C04

Inner box with extended front tall glass, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B167

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1900-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F167G

##### Inner drawer front connector (tall glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### H: SS1900-21-C


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-21-CS/ SS1900-21-CT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey




## Mounting

Cabinet space requirements




Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

**SB1900 - C05/ SB1900 - C05H**

Inner box with side square railings and front panel square railing, height 167mm




## SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L167K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F167D

##### Inner drawer front connector (square railing) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1900-F167DH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color


Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting


Cabinet space requirements





Back panel installation dimensions




## Internal front panel DIY cut




## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# SLIM DRAWER SYSTEM

## SB1900 - C06

Inner box with side square railings and extended front low glass, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L167K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F167K

##### Inner drawer front connector (low glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### G: SS1900-20-C


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-20-CS/ SS1900-20-CT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey




## Mounting

Cabinet space requirements




Back panel installation dimensions




## Internal front panel DIY cut

Planar





DIY cut: LW - 98mm

## Drawer slide installation dimensions





## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length

## Space required




NL Nominal length

# SLIM DRAWER SYSTEM

## SB1900 - C07

Inner box with side square railings and extended front tall glass, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L167K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F167GK

##### Inner drawer front connector (tall glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### H: SS1900-21-C


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-21-CS/ SS1900-21-CT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey




## Mounting

Cabinet space requirements




Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# SLIM DRAWER SYSTEM

**SB1900 - C08/ SB1900 - C08H**

Inner box with front panel and square railing, height 167mm




## SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B167

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1900-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F167

##### Inner drawer front connector (square railing) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1900-F167H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98


Length: 600mm;800mm;900mm;1000mm;1200mm






## Mounting

Cabinet space requirements



Back panel installation dimensions






## Internal front panel DIY cut

Planar

Handle



Square rail




DIY cut: LW - 98mm

DIY cut: LW - 85mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel




Back panel




Bottom plate

Wood backplane  
NL-24mm



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length


## Space required



# SLIM DRAWER SYSTEM

## SB1900 - D01

Slim box, height 199mm




### SOFT-CLOSE

- Basic height, 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

### Product information

#### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B199

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### E: SS1900-TC1

##### Front connector

Material - SECC + plastic

#### SS1900-TC2

##### Clip on front connector

Material - SECC + plastic

#### SS1900-TC5

##### Front connector

Material - SECC

#### SS1900-TC6


##### Clip on front connector

Material - SECC




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

## SB1900 - D02

Slim box with extended side square railings, height 199mm




### SOFT-CLOSE

- Basic + rectangular side railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# SLIM DRAWER SYSTEM

## SB1900 - D03

Inner box with extended front low glass, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B199

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### D: SS1900-F199L

##### Inner drawer front connector (low glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### G: SS1900-20-D


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-20-DS/ SS1900-20-DT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey




## Mounting

Cabinet space requirements




Back panel installation dimensions





## Internal front panel DIY cut

Planar




DIY cut: LW - 98mm


## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

## SB1900 - D04

Inner box with extended front tall glass, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B199

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color



#### D: SS1900-F199G

##### Inner drawer front connector (tall glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### H: SS1900-21-D


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-21-DS/ SS1900-21-DT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm



#### K: SS1800-37


##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

**SB1900 - D05/ SB1900 - D05H**

Inner box with front panel and square railing, height 199mm




## SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B199

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F199D

##### Inner drawer front connector (square railing) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1900-F199DH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98


Length: 600mm;800mm;900mm;1000mm;1200mm






## Mounting


Cabinet space requirements




Back panel installation dimensions




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

**SB1900 - D06/ SB1900 - D06H**

Inner box with side square railings and front panel square railing, height 199mm




## SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F199D

##### Inner drawer front connector (square railing) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1900-F199DH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium


Color - Match for set color

Automatically cut - the cabinet body width LW - 98


Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# SLIM DRAWER SYSTEM

## SB1900 - D07

Inner box with side square railings and extended front low glass, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F199LK

##### Inner drawer front connector (low glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### G: SS1900-20-D


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-20-DS/ SS1900-20-DT

##### Inner drawer extended front glass

Material - glass


Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm






## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# SLIM DRAWER SYSTEM

## SB1900 - D08

Inner box with side square railings and extended front tall glass, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1900-B86

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1900-L199K

##### Back panel connector (square railings) L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1900-F199GK

##### Inner drawer front connector (tall glass) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1900-04

##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### H: SS1900-21-D


##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1900-21-DS/ SS1900-21-DT

##### Inner drawer extended front glass

Material - glass

Color - transparent/Frosted

Length: 479mm;579mm;679mm;779mm;879mm;1079mm



Cabinet space requirements

199  
min 230

Back panel installation dimensions

8  
32  
64  
32  
32  
9  
min 49.0  
min 33.0

Planar



DIY cut: LW - 98mm

Technical drawing of a staircase showing side and front elevations. The drawing includes the following dimensions and features:

- Vertical Dimensions (Stair Rise):** 270, 300, 350, 400, 450, 500, 550.
- Horizontal Dimensions (Stair Run):** 192, 224, 256.
- Stair Components:** Treads (horizontal steps), risers (vertical steps), and nosing (edge of the tread).
- Labels:** "E 3" is labeled on the risers, and "V 7" is labeled on the treads.
- Other Dimensions:** 14 (width of the nosing), 9 (width of the nosing), and 37 (width of the landing).

The technical drawing illustrates the cabinet back panel assembly. It includes two views: a front view and a side view.

**Front View:**

- The top section is a dark grey rectangle labeled **B** with a height dimension of **199**.
- The bottom section is a light grey rectangle labeled **A** with a height dimension of **NL-24** and a width dimension of **LW-75**.

**Side View:**

- The back panel is shown as a dark grey rectangle labeled **B** with a width dimension of **LW**.
- The cabinet body is shown as a light grey rectangle labeled **A** with a width dimension of **KB**.

**Legend:**

- KB**: Cabinet width
- LW**: Internal cabinet width
- NL**: Nominal length

Nominal Length


230

NL+12

# CLASSICAL DRAWER SYSTEM

## SB1801 - A01

Classical box, height 84mm




### SOFT-CLOSE

- Basic height, 84mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1800-L86

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6


##### Clip on front connector

Material - SECC




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - A02/ SB1801 - A02H

Inner classical box, height 84mm




### SOFT-CLOSE

- Inner drawer, height 84mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### C: SS1800-L86

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F86

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F86H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel


Material - plastic

Color - Silver grey







## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - B01

Classical box with side square railings, height 135mm




### SOFT-CLOSE

- Basic + rectangular side railings, height 135mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L135

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - B02

Classical box with side round railings, height 135mm




### SOFT-CLOSE

- Basic + round side railings, height 135mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L135

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### N: SS1801-19

##### Side round railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# CLASSICAL DRAWER SYSTEM

## SB1801 - B03/ SB1801 - B03H

Inner classical box with side square railings and front panel square railing, height 135mm




### SOFT-CLOSE

- Inner drawer, height 135mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L135

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F135

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F135H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium


Color - Match for set color

Automatically cut - the cabinet body width LW - 98


Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - C01

Classical box with side square railings, height 167mm




### SOFT-CLOSE

- Basic + rectangular side railings, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L167

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# CLASSICAL DRAWER SYSTEM

## SB1801 - C02

Classical box with side round railings, height 167mm




### SOFT-CLOSE

- Basic + round side railings, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L167

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### N: SS1801-19

##### Side round railings

Material - aluminium + plastic

Color - Match for set color


Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.






## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - C03

Classical box with extended side glass, height 167mm




### SOFT-CLOSE

- Basic + 8mm side glass plates, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L167

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### O: SS1800-07

##### 8mm Glass fasteners L/R

Material - SECC + plastic

Color - Match for set color



#### I: SS1800-06T/ SS1800-06S

##### 8mm Glass plates L/R

Material - glass


Color - transparent/ frosted

Length: 350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions



Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - C05/ SB1801 - C05H

Inner classical box with extended side glass and front panel with square railing, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F167

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F167H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### I: SS1800-06T/ SS1800-06S

##### 8mm Glass plates L/R

Material - glass

Color - transparent/ frosted

Length: 350mm;400mm;450mm;500mm;550mm.




#### O: SS1800-07

##### 8mm Glass fasteners L/R

Material - SECC + plastic

Color - Match for set color




#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic


Color - Silver grey






## Mounting


Cabinet space requirements




Back panel installation dimensions




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# CLASSICAL DRAWER SYSTEM

## SB1801 - C06/ SB1801 - C06H

Inner classical box with extended side glass and front panel, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### O: SS1800-07

##### 8mm Glass fasteners L/R

Material - SECC + plastic

Color - Match for set color



#### I: SS1800-06T/ SS1800-06S

##### 8mm Glass plates L/R

Material - glass

Color - transparent/ frosted

Length: 350mm;400mm;450mm;500mm;550mm.



#### G: SS1800-08

##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey




#### D: SS1801-F167G

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F167GH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color


Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting

Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut

Planar

Handle

Heighten panel




DIY cut: LW - 98mm

DIY cut: LW - 85mm



## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - C07/ SB1801 - C07H

Inner classical box with side square railings and front panel square railing, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F167

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F167H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium


Color - Match for set color

Automatically cut - the cabinet body width LW - 98


Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required





# CLASSICAL DRAWER SYSTEM

## SB1801 - C08/ SB1801 - C08H

Inner classical box with side square railings and front panel, height 167mm




### SOFT-CLOSE

- Inner drawer, height 167mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L167

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F167G

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F167GH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### G: SS1800-08

##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color


Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm







## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D01

Classical box with side square railings, height 199mm




### SOFT-CLOSE

- Basic + rectangular side railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions





Back panel installation dimensions



## Drawer slide installation dimensions





## Cutting dimensions for back panel



KB : Cabinet width  
LW : Internal cabinet width  
NL : Nominal length


## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D02

Classical box with side round railings, height 199mm




### SOFT-CLOSE

- Basic + round side railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### N: SS1801-19

##### Side round railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions





Back panel installation dimensions



## Drawer slide installation dimensions




## Cutting dimensions for back panel




KB : Cabinet width  
 LW : Internal cabinet width  
 NL : Nominal length

## Space required

Nominal Length



The cabinet front


 Soft-closing  
 Drawer




# CLASSICAL DRAWER SYSTEM

## SB1801 - D03

Classical box with two side square railings, height 199mm




### SOFT-CLOSE

- Basic + double dual rectangular railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### M: SS1801-12 (\*2)

##### Side square railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D04

Classical box with two side round railings, height 199mm




### SOFT-CLOSE

- Basic + double dual round railings, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### N: SS1801-19 (\*2)

##### Side round railings

Material - aluminium + plastic


Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




## Mounting


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D05

Classical box with extended side glass, height 199mm




### SOFT-CLOSE

- Basic + 8mm side glass plates, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm;400mm;450mm;500mm;550mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel


Color - Match for set color



#### E: SS1900-TA1

##### Front connector


Material - SECC + plastic



#### SS1900-TA2

##### Clip on front connector


Material - SECC + plastic



#### SS1900-TA5

##### Front connector


Material - SECC



#### SS1900-TA6

##### Clip on front connector

Material - SECC




#### P: SS1800-10

##### 8mm Glass fasteners L/R

Material - SECC + plastic

Color - Match for set color



#### J: SS1800-09T/ SS1800-09S

##### 8mm Glass plates L/R

Material - glass

Color - transparent/ frosted


Length: 350mm;400mm;450mm;500mm;550mm.






## Mounting


Cabinet space requirements




Front connector panel installation dimensions



Front panel drilling dimensions




Back panel installation dimensions





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D06/ SB1801 - D06H

Inner classical box with extended side glass and front panel with square railing, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F199

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F199H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### J: SS1800-09T/ SS1800-09S

##### 8mm Glass plates L/R

Material - glass

Color - transparent/ frosted

Length: 350mm;400mm;450mm;500mm;550mm.




#### P: SS1800-10

##### 8mm Glass fasteners L/R

Material - SECC + plastic

Color - Match for set color



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37


##### Front panel bracket to bottom panel

Material - plastic


Color - Silver grey




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D07/ SB1801 - D07H

Inner classical box with extended side glass and front panel, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F199G

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F199GH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### J: SS1800-09T/ SS1800-09S

##### 8mm Glass plates L/R

Material - glass

Color - transparent/ frosted

Length: 350mm;400mm;450mm;500mm;550mm.




#### P: SS1800-10

##### 8mm Glass fasteners L/R

Material - SECC + plastic

Color - Match for set color



#### H: SS1800-11

##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic


Color - Silver grey






## Mounting


Cabinet space requirements



Back panel installation dimensions




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel



## Space required






# CLASSICAL DRAWER SYSTEM

## SB1801 - D08/ SB1801 - D08H



Inner classical box with side square railings and front panel square railing, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F199

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F199H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color



#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium


Color - Match for set color

Automatically cut - the cabinet body width LW - 98


Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D09/ SB1801 - D09H

Inner classical box with two side square railings and front panel with square railing, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F199

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F199H

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### M: SS1801-12 (\*2)

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### L: S52932

##### Front square railing

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color


Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting

Cabinet space requirements



Back panel installation dimensions






## Internal front panel DIY cut

Planar

Handle



Square rail



DIY cut: LW - 98mm


DIY cut: LW - 85mm

## Drawer slide installation dimensions




NL Nominal length

## Cutting dimensions for back panel




Back panel




Bottom plate

Wood backplane

NL-24mm


 KB : Cabinet width  
 LW : Internal cabinet width  
 NL : Nominal length

## Space required






# CLASSICAL DRAWER SYSTEM

## SB1801 - D10/ SB1801 - D10H

Inner classical box with side square railings and front panel, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated.  
Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F199G

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F199GH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### M: SS1801-12

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### H: SS1800-11

##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium

Color - Match for set color


Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm







## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions



## Cutting dimensions for back panel




## Space required



# CLASSICAL DRAWER SYSTEM

## SB1801 - D11/ SB1801 - D11H

Inner classical box with two side square railings and front panel, height 199mm




### SOFT-CLOSE

- Inner drawer, height 199mm.
- Loading capacity: 40Kg.
- Wide range of depth from 270mm;300mm;350mm;400mm;450mm;500mm;550mm.
- Front panel with different length, 600, 800, 900, 1000, 1200mm.
- 4 regular colors: Black(B), White(W), Dark grey(G), Light grey(O), custom-made colors acceptable.
- Front convenient fine adjustment mechanism integrated. Up & down  $\pm 1.5$ mm, left & right  $\pm 1.5$ mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

## Product information

### Components view



#### A: SS1801-S

##### Drawer slide L/R

Material - SECC

Loading capacity: 40kg

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.




#### B: SS1801-B

##### Side wall L/R

Material - cold-rolled steel

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### C: SS1800-L199

##### Back panel connector L/R

Material - cold-rolled steel

Color - Match for set color




#### D: SS1801-F199G

##### Inner drawer front connector L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### SS1801-F199GH

##### Inner drawer front connector (handle) L/R

Material - cold-rolled steel + plastic

Color - Match for set color




#### M: SS1801-12 (\*2)

##### Side square railings

Material - aluminium + plastic

Color - Match for set color

Length: 270mm;300mm;350mm;400mm;450mm;500mm;550mm.



#### H: SS1800-11

##### Inner drawer extended front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 85

Length: 600mm;800mm;900mm;1000mm;1200mm



#### K: SS1800-37

##### Front panel bracket to bottom panel

Material - plastic

Color - Silver grey



#### F: SS1800-04


##### Inner drawer front panel

Material - aluminium

Color - Match for set color

Automatically cut - the cabinet body width LW - 98

Length: 600mm;800mm;900mm;1000mm;1200mm



#### SS1800-04H


##### Inner drawer front panel (handle)

Material - aluminium


Color - Match for set color

Automatically cut - the cabinet body width LW - 98


Length: 600mm;800mm;900mm;1000mm;1200mm




## Mounting




## Internal front panel DIY cut





## Drawer slide installation dimensions




## Cutting dimensions for back panel






## Space required






## Drawer installation




## Front panel adjustment.




## Drawer disassembly.




## Drawer removal



## Drawer installation



## Regulation




Panel left and right adjustment  $\pm 1.5\text{mm}$

Up and down adjustment of the panel  $\pm 1.5\text{mm}$

Panel removal

## Panel removing

## The drawer is installed



## Drawer removal

